



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/500,350	02/09/2005	Sergey Vasilievich Marutian	P06835US00	2639

22885 7590 10/22/2007
MCKEE, VOORHEES & SEASE, P.L.C.
801 GRAND AVENUE
SUITE 3200
DES MOINES, IA 50309-2721

EXAMINER

BAREFORD, KATHERINE A

ART UNIT	PAPER NUMBER
----------	--------------

1792

MAIL DATE	DELIVERY MODE
-----------	---------------

10/22/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/500,350	Applicant(s) MARUTIAN ET AL.	
	Examiner Katherine A. Bareford	Art Unit 1792	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 October 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on September 11, 2007 has been entered.

The amendment of October 12, 2007 (filed in response to the Notice of Non-Compliant Amendment of September 14, 2007) has been received and entered. With the entry of the amendment, claims 1-5 (including new claims 2-5) are pending for examination.

Specification

2. The objection to the amendments filed January 29, 2007 under 35 U.S.C. 132(a) because it introduces new matter into the disclosure is withdrawn due to the amendment of October 12, 2007 that removes the amendments made January 29, 2007, thus leaving no references to drawings in the specification.

Drawings

3. The amendment of October 12, 2007 canceling figures 1-5 has been received and entered. As a result, no figures are left in the case.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims 1-4 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

(A) **Claim 1, last two lines**, provides that said aluminum coatings are applied without . . . "or preheating to within austenitic temperatures" is now claimed by the amendment of October 12, 2007. As well, **new claim 4, last three lines**, provides that said aluminum coatings are applied without . . . "or preheating the product prior to plunging in the melt" in the amendment of October 12, 2007. The Examiner has reviewed the disclosure as originally filed, however, there is no support for excluding such preheating. The original disclosure provides "product surface preparing" (as in

claim 1, line 2) and then coating with the aluminum melt. This claimed feature is a "negative limitation", and as discussed in MPEP 2173.05(i):

Any negative limitation or exclusionary proviso must have basis in the original disclosure. If alternative elements are positively recited in the specification, they may be explicitly excluded in the claims. See *In re Johnson*, 558 F.2d 1008, 1019, 194 USPQ 187, 196 (CCPA 1977) ("[the] specification, having described the whole, necessarily described the part remaining."). See also *Ex parte Grasselli*, 231 USPQ 393 (Bd. App. 1983), *aff'd mem.*, 738 F.2d 453 (Fed. Cir. 1984). The mere absence of a positive recitation is not basis for an exclusion. Any claim containing a negative limitation which does not have basis in the original disclosure should be rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. Note that a lack of literal basis in the specification for a negative limitation may not be sufficient to establish a *prima facie* case for lack of descriptive support. *Ex parte Parks*, 30 USPQ2d 1234, 1236 (Bd. Pat. App. & Inter. 1993).

Here, there is simply no discussion one way or the other as to preheating features, and as discussed above, the mere absence of a positive recitation is not a basis for exclusion. In the amendment of October 12, 2007, applicant argues that the lack of literal support does not, in and of itself, establish a *prima facie* case for lack of adequate descriptive support citing *Ex parte Parks*, and arguing that the facts of this case are very similar to those set forth in *Parks*, with the present disclosure accurately conveying the concepts set forth in the claim terms at issue, with it being apparent from applicant's specification that the coating process is conducted without preheating, since there is no disclosure anywhere that any such preheating takes place, and persons skilled in the art would readily understand that no such preheating takes place since the specification does not describe or insinuate in any manner that such preheating occurs, and if such

preheating was part of applicant's process the invention would not be sufficiently enabled under 35 USC 112, first paragraph. The Examiner has reviewed these arguments, however, she disagrees. The present disclosure provides generally "preparing the surface" with jet abrasive preparing and then goes on to describe specific features of the aluminum alloy coating using a melt. To one of ordinary skill in the art this simply does not amount to it being apparent that commonly known "preparing" steps would NOT be included, such as, as shown by Rallis and Gierek, conventionally known cleaning and preheating steps. In fact, from the shown prior art, it appears that one of ordinary skill in the art would expect preheating to be conventional. Rather, the description in the disclosure merely indicates that the focus of the claimed invention is on the abrasive treatment and the details of the melt coating with the aluminum alloy. Here, a lack of disclosure about what happens before the focus of the claimed invention would not rise to a teaching that conventional steps necessarily do not happen. This differs from Parks description of a step that would cry out for a teaching of a material that would be used if it was, in fact, used. Therefore, the amendment contains new matter.

(B) New **claim 2, second to last line**, provides that said aluminum coatings are applied without . . . "introduction of copper to the melt" is now claimed by the amendment of October 12, 2007. The Examiner has reviewed the disclosure as originally filed, however, there is no support for excluding copper from the melt. Copper is never mentioned in the disclosure as originally filed, and is certainly never

excluded from the alloy. The original disclosure provides that the aluminum alloy melt "is alloyed with zinc, silicon, magnesium, tin . . ." (see page 2 of the specification, and original claim 1) and also that benefits are provided by "alloying the aluminum melt, comprising zinc, silicon, magnesium and tin" (page 3, second paragraph, of the specification), and also note comprising language at page 4, lines 1-2 of the specification. This open language of "comprising" indicates that the aluminum alloy provided must include zinc, silicon, magnesium and tin as claimed, but that other materials can be included in the alloy. The claimed exclusion of copper is a "negative limitation", and as discussed in MPEP 2173.05(i):

Any negative limitation or exclusionary proviso must have basis in the original disclosure. If alternative elements are positively recited in the specification, they may be explicitly excluded in the claims. See *In re Johnson*, 558 F.2d 1008, 1019, 194 USPQ 187, 196 (CCPA 1977) ("[the] specification, having described the whole, necessarily described the part remaining."). See also *Ex parte Grasselli*, 231 USPQ 393 (Bd. App. 1983), *aff'd mem.*, 738 F.2d 453 (Fed. Cir. 1984). The mere absence of a positive recitation is not basis for an exclusion. Any claim containing a negative limitation which does not have basis in the original disclosure should be rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. Note that a lack of literal basis in the specification for a negative limitation may not be sufficient to establish a *prima facie* case for lack of descriptive support. *Ex parte Parks*, 30 USPQ2d 1234, 1236 (Bd. Pat. App. & Inter. 1993).

Here, there is simply no discussion one way or the other as to the use of copper, and as discussed above, the mere absence of a positive recitation is not a basis for exclusion. In the amendment of October 12, 2007, applicant argues that the lack of literal support does not, in and of itself, establish a *prima facie* case for lack of adequate descriptive

support citing Ex parte Parks, and arguing that the facts of this case are very similar to those set forth in Parks, with the present disclosure accurately conveying the concepts set forth in the claim terms at issue, with it being apparent from applicant's specification that if copper was required, description of such would have been necessary to meet the enablement and written description requirements of 35 USC 112, first paragraph. The Examiner has reviewed these arguments, however, she disagrees. The present disclosure provides using an aluminum alloy with comprising language that indicates that the alloy can include other than the specifically listed ingredients. To one of ordinary skill in the art this simply does not amount to it being apparent that commonly known further alloying materials, such as copper (see Japan 50-0052313), cannot be used. In fact, from the shown prior art, it appears that one of ordinary skill in the art would expect inclusion of copper to be conventional. While applicant may not have provided support for specific inclusion of copper, applicant certainly did not provide support such that one reading the disclosure would know that copper must specifically be excluded. This differs from Parks description of a step that would cry out for a teaching of a material that would be used if it was, in fact, used. Therefore, the amendment contains new matter.

(C) New **claim 3, line 9**, provides that said plunging in aluminum melts is "for a period of less than 5 minutes" is now claimed by the amendment of October 12, 2007. The Examiner has reviewed the disclosure as originally filed, however, there is no support this time period of less than 5 minutes. All times of exposure (as described in

Art Unit: 1792

Tables ¹ 1 and ² 2 to the melt, are 40 seconds or more and 120 seconds (2 minutes) or less and no discussion of less than specifically 5 minutes is provided. Moreover the time of exposure for the actual inventive material is precisely 70 seconds in Table 1 and 70 or 80 seconds in Table 2. Thus, there is simply no support for the broad range claimed and the claim contains new matter.

6. Claims 1-5 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claim 1, last line, "said aluminum coatings further achieving a Mandrel test of 10 mm". The specification describes testing "plasticity of the coatings" by "testing the pattern on bending around the cylindrical mandrel, while wending on which the coating on the pattern doesn't break" (page 3, first paragraph), with description of "Minimum diameter of mandrel, mm" in Table 1, which appears to indicate that "10 mm" refers to "diameter of mandrel", although this is not in the claim. This simply does not provide an adequate description of how the "Mandrel test" works such that this test can be reproduced, understood or compared, and thus one of ordinary skill in the art would not be able to make and/or use the invention. First, it is unclear what is meant by "pattern" or "wending". Furthermore, it is unclear to what degree the "coating" is wound around the mandrel, such as, must it go 100%, 10 degrees, 90

degrees, etc. It is also unclear what thickness the substrate is or is not, which would clearly affect how much winding could occur. As well, it is not clear what the mandrel is made from. All of those features would affect the resulting results from using the "Mandrel test", and none are clarified in the disclosure or claims as filed. Moreover, if this is a known standardized test, such as an ASTM test, it is not clear from the claim or disclosure what this test would be. **This rejection also applies to the use of "a Mandrel test" in claim 2, claim 3, claim 4 and claim 5.**

7. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

8. Claims 1-5 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1, last two lines, "or preheating to within austenitic temperatures" is confusing as to what is required. The claim does not clarify what is preheated (the product to be coated?, the aluminum alloy?), what austenitic temperatures are referred to (the product?, the aluminum alloy?) or when the preheating occurs (any heating of the alloy or product at any point before coating occurs?, must the alloy or product be heated at time of application?, etc.). Furthermore, if the preheating refers to the

aluminum alloy, the claim contradicts itself, because the alloy must be heated for coating (to 660-680 degrees C).

Claim 1, last line, “said aluminum coatings further achieving a Mandrel test of 10 mm”. The specification describes testing “plasticity of the coatings” by “testing the pattern on bending around the cylindrical mandrel, while wending on which the coating on the pattern doesn’t break” (page 3, first paragraph), with description of “Minimum diameter of mandrel, mm” in Table 1, which appears to indicate that “10 mm” refers to “diameter of mandrel”, although this is not in the claim. This simply does not provide an adequate description of how the “Mandrel test” works such that this test can be reproduced, understood or compared. First, it is unclear what is meant by “pattern” or “wending”. Furthermore, it is unclear to what degree the “coating” is wound around the mandrel, such as, must it go 100%, 10 degrees, 90 degrees, etc. It is also unclear what thickness the substrate is or is not, which would clearly affect how much winding could occur. As well, it is not clear what the mandrel is made from. All of those features would affect the resulting results from using the “Mandrel test”, and none are clarified in the disclosure or claims as filed. Moreover, if this is a known standardized test, such as an ASTM test, it is not clear from the claim or disclosure what this test would be. **This rejection also applies to the use of “a Mandrel test” in claim 2, claim 3, claim 4 and claim 5.**

✓**Claim 2, second to last line, "or introduction ^{of} ~~to~~ copper to the melt"** is confusing as worded. Does it mean that copper can never be in the melt or that copper cannot be later added to the melt?

Claim 4, last three lines, "or preheating the product prior to plunging in the melt" is confusing as to what is required. The claim does not clarify when the preheating occurs (any heating of the product at any point before coating occurs?, must the product be heated at time of application?, etc.).

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

11. Claims 1-2 and 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rallis (US 4655852) in view of Japan 50-005213 (hereinafter '213).

Rallis teaches a method of applying aluminum alloy coatings on steel products. Column 2, lines 1-10, 34-50 and 64-68. Rallis teaches that the product is first prepared for coating. Column 2, lines 10-40 (heat treating) and column 6, lines 40-60 (heat treating and cleaning before coating). The cleaning preparation can include grit blasting (which would be a jet abrasive) the product. Column 6, lines 40-60. Rallis then teaches that the prepared product is then plunged into a hot dip aluminum alloy melt bath to coat the product with the aluminum alloy. Column 6, lines 55-68, for example and column 2, lines 35-50 and 64-68. The temperature of the bath can be 1000 to below 1341 degrees F (approximately 538 to 727 degrees C). Column 2, lines 34-40. Rallis further teaches that the bath can include aluminum alloyed with zinc, silicon, magnesium and tin materials. Column 2, line 64 through column 3, line 5. The Examiner understands Rallis to perform the application of the aluminum coating without flux, as the process of Rallis has no teaching of applying flux (see Examples I and II, for instance).

Claim 2: Rallis teaches alloying additives of copper can be used, but its use is optional. See column 2, line 65 through column 3, line 5.

Rallis teaches all the features of this claim except (1) the precise temperature of the melt bath and the precise amounts of zinc, silicon, magnesium, and tin to be used in the aluminum melt, (2) the mandrel test features (claims 1-2, 4-5) and (3) the lack of preheating (claims 1, 4).

However, '213 teaches that a desirable aluminum alloy composition for improved corrosion resistance includes 2-18 % silicon, 2-8 % zinc, 0-2% magnesium and 0.1-1.5% Sn. See the Abstract. The Examiner notes that while the abstract refers to 0.5% copper in the alloy, this is a typographical error, and that '213 teaches 0-5% copper (which therefore means that no copper can be used), as shown on page 61, 1st column where " . . . Si 2-18%, Zn 2-8%, Cu 0-5%, Mg 0-2 % , Sn 0.1-15%. . . " is described, and also ^{notes} in the example in the abstract where 0.02 % copper is used which is below 0.5 % copper.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to (1) modify Rallis to optimize the temperature of the melt bath for the specific aluminum alloy used given that Rallis teaches a temperature range of approximately 538 to 727 degrees C, and where the claimed ranges "overlap or lie inside ranges disclosed by the prior art" a prima facie case of obviousness exists. In re Wertheim, 541 F.2d 257, 191 USPQ 90 (CCPA 1976); In re Woodruff, 919 F.2d 1575, 16 USPQ2d 1934 (Fed. Cir. 1990). Furthermore, it would have been obvious to modify Rallis to perform the hot dip coating of the aluminum alloy using an alloy with the components and range taught by '213 with an expectation of providing a desirably

corrosion resistant plated article, because Rallis teaches a desirable method for providing hot dip coating of an aluminum alloy on a steel product using an aluminum alloy that can contain aluminum, zinc, silicon, magnesium and tin and '213 teaches a desirable aluminum alloy containing aluminum, zinc, silicon, magnesium and tin for improved corrosion protection. It would further have been obvious to optimize within the taught range of '213 to determine the optimum or workable ranges by routine experimentation. See *In re Aller*, 200 F.2d 454, 105 USPQ 233 (CCPA 1955). The Examiner understands the ranges given in '213 to be in weight percent as the description is in the conventional format for describing weight percent of alloys. (2) As to the resulting coating meeting the claimed mandrel test features, the Examiner notes the confusion as to what is actually required by the Mandrel test as discussed in the 35 USC 112, first and second paragraph rejections above. However, it is the Examiner's position that the coating method provided by Rallis in view of '213 would provide a coating that meets the claimed Mandrel test, because Rallis in view of '213 provides a coated article with an aluminum alloy of the percentage requirements of zinc, silicon, magnesium and tin, which is what appears to be required to meet the Mandrel test as described by applicant in the specification, and the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985). The Examiner also notes MPEP 2112, as noting that "[T]he discovery of a previously

Art Unit: 1792

unappreciated property of a prior art composition, or of a scientific explanation for the prior art's functioning, does not render the old composition patentably new to the discoverer." *Atlas Powder Co. v. Ireco Inc.*, 190 F.3d 1342, 1347, 51 USPQ2d 1943, 1947 (Fed. Cir. 1999). (3) As to the coating without preheating as claimed, the Examiner notes the confusion as to what is actually required by the preheating as discussed in the 35 USC 112, second paragraph rejection above. However, it is the Examiner's position that it would have been obvious to perform the coating method of Rallis in view of '213 without preheating, to the extent claimed. While Rallis teaches a heating treatment of the product before coating to within the austenitizing temperature of the product (column 2, lines 15-25), it would have been obvious to one ordinary skill in the art to modify Rallis in view of '213 to perform the coating process without the preheating process, as it has been held that omission of an element and its function in a combination where the remaining elements perform the same functions as before involves only routine skill in the art. *In re Karlson*, 136 USPQ 184. Here, Rallis teaches that the preheating step allows for maintaining high strength carbon and steels after aluminizing (column 3, lines 5-20), and therefore, if high strength is not desired, it would have been obvious to eliminate the element of preheating, which allows saving time and energy. See also MPEP 2144.04, section II.

12. Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Giersek et al (US 4070210) in view of Rallis (US 4655852) and Japan 50-005213 (hereinafter '213).

Giersek teaches a method of applying aluminum alloy coatings on cast iron and steel products. Column 2, lines 35-65 and column 5, lines 25-26 and 44-45. Giersek teaches that the product is first prepared for coating. Column 5, lines 25-35 (preheating and cleaning before coating). Giersek then teaches that the prepared product is then plunged into a hot dip aluminum alloy melt bath to coat the product with the aluminum alloy. Column 5, lines 25-35, for example and column 2, lines 35-65. The temperature of the bath can be 550-950 degrees C, such as 550 to 650 degrees C.. Column 2, lines 50-60 and column 5, lines 25-30. Giersek further teaches that the bath can include aluminum alloyed with metal such as zinc, silicon, magnesium and tin materials. Column 2, lines 50-55. Giersek provides that the aluminum coatings can be applied without flux when desired. Note Example VI, column 5, lines 25-40 where the coating is applied without any flux treatment as compared to Example VII, column 45-50, where a flux treatment is applied.

Claim 1: as to preheating the product, Giersek does not teach preheating to austenitic temperatures, as Giersek teaches preheating to 100 to 400 degrees C at most. Column 2, lines 55-65 and see example VI, column 5, lines 25-30.

Claim 2: Giersek teaches that copper can be an alloy material with aluminum alloy, but that its use is optional. Column 2, lines 50-53.

Claim 3: Gierrek discloses that the time in the melt can be 1-10 minutes. Column 3, lines 40-45. It can also be 30 seconds to 10 minutes. Column 4, lines 5-10. Therefore, the time in the melt can be less than 5 minutes, such as 1 minute or 30 seconds.

Claim 4: as to preheating in general, Gierrek teaches that products "may be preheated" to a temperature of 100 to 400 degrees C. Column 2, lines 55-65. This open language means that while the product "may" be preheated, it does not have to be preheated.

Gierrek teaches all the features of this claim except (1) the pretreatment with jet abrasive, (2) precise temperature of the melt bath and the precise amounts of zinc, silicon, magnesium, and tin to be used in the aluminum melt and (3) the mandrel test features (claims 1-5).

Rallis teaches a method of applying aluminum alloy coatings on steel products. Column 2, lines 1-10, 34-50 and 64-68. Rallis teaches that the product is first prepared for coating. Column 2, lines 10-40 (heat treating) and column 6, lines 40-60 (heat treating and cleaning before coating). The cleaning preparation can include grit blasting (which would be a jet abrasive) the product. Column 6, lines 40-60. Rallis then teaches that the prepared product is then plunged into a hot dip aluminum alloy melt bath to coat the product with the aluminum alloy. Column 6, lines 55-68, for example and column 2, lines 35-50 and 64-68. The temperature of the bath can be 1000 to below 1341 degrees F (approximately 538 to 727 degrees C). Column 2, lines 34-40. Rallis further

teaches that the bath can include aluminum alloyed with zinc, silicon, magnesium and tin materials. Column 2, line 64 through column 3, line 5.

Moreover, '213 teaches that a desirable aluminum alloy composition for improved corrosion resistance includes 2-18 % silicon, 2-8 % zinc, 0-2% magnesium and 0.1-1.5% Sn. See the Abstract. The Examiner notes that while the abstract refers to 0.5% copper in the alloy, this is a typographical error, and that '213 teaches 0-5% copper (which therefore means that no copper can be used), as shown on page 61, 1st column where "... Si 2-18%, Zn 2-8%, Cu 0-5%, Mg 0-2 % , Sn 0.1-15%..." is described, and also ^{note} in the example in the abstract where 0.02 % copper is used which is below 0.5 % copper.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Giersek to (1) provide that the "cleaning" process before coating includes grit blasting (jet abrasive treatment) as suggested by Rallis with an expectation of desirable cleaning results, because Giersek teaches to provide a "cleaning" process before aluminum alloy melt coating and Rallis teaches that it is well known for "cleaning" to include grit blasting when preparing a surface for aluminum alloy melt coating. (2) It would further have been obvious to modify Giersek in view of Rallis to optimize the temperature of the melt bath for the specific aluminum alloy used given that Giersek teaches a temperature range of approximately 550 to 950 degrees C, including 650 degrees C, and where the claimed ranges "overlap or lie inside ranges disclosed by the prior art" a prima facie case of obviousness exists. In re Wertheim, 541

F.2d 257, 191 USPQ 90 (CCPA 1976); In re Woodruff, 919 F.2d 1575, 16 USPQ2d 1934 (Fed. Cir. 1990). Furthermore, it would have been obvious to modify Gierrek in view of Rallis to perform the hot dip coating of the aluminum alloy using an alloy with the components and range taught by '213 with an expectation of providing a desirably corrosion resistant plated article, because Gierrek teaches a desirable method for providing hot dip coating of an aluminum alloy on an iron or steel product using an aluminum alloy that can contain aluminum and alloying metal such as zinc, silicon, magnesium and tin and Rallis also teaches to providing hot dip coating of an aluminum alloy on a steel product using an aluminum alloy that can contain aluminum and zinc, silicon, magnesium and tin, and that such alloy materials can be added in combination, and '213 teaches a desirable aluminum alloy containing aluminum, zinc, silicon, magnesium and tin for improved corrosion protection. It would further have been obvious to optimize within the taught range of '213 to determine the optimum or workable ranges by routine experimentation. See In re Aller, 200 F.2d 454, 105 USPQ 233 (CCPA 1955). The Examiner understands the ranges given in '213 to be in weight percent as the description is in the conventional format for describing weight percent of alloys. (3) As to the resulting coating meeting the claimed mandrel test features, the Examiner notes the confusion as to what is actually required by the Mandrel test as discussed in the 35 USC 112, first and second paragraph rejections above. However, it is the Examiner's position that the coating method provided by Gierrek in view of Rallis and '213 would provide a coating that meets the claimed Mandrel test, because Gierrek

in view of Rallis and '213 provides a coated article with an aluminum alloy of the percentage requirements of zinc, silicon, magnesium and tin, which is what appears to be required to meet the Mandrel test as described by applicant in the specification, and the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985). The Examiner also notes MPEP 2112, as noting that "[T]he discovery of a previously unappreciated property of a prior art composition, or of a scientific explanation for the prior art's functioning, does not render the old composition patentably new to the discoverer." *Atlas Powder Co. v. Ireco Inc.*, 190 F.3d 1342, 1347, 51 USPQ2d 1943, 1947 (Fed. Cir. 1999).

Response to Arguments

13. Applicant's arguments filed October 12, 2007 have been fully considered but they are not persuasive.

As to the rejection using Rallis in view of '213, applicant argues that neither Rallis nor '213 disclose that the coating is plastic, with the claimed Mandrel test results, and that the same is true for Gieriek in view of Rallis and '213. The Examiner notes this argument, however, while Rallis, Gieriek and '213 do not disclose that the resulting coated article would have the claimed Mandrel test result, it is the Examiner's position that the fact that applicant has recognized another advantage which would flow

naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985), as discussed in the rejection above. In other words, this result of plasticity would flow from providing the coating of the claimed alloy by the claimed method, which is suggested by the combination of references. As to the argument that alloys outside the claimed range do not provide the claimed results, apparently arguing unexpected results, the Examiner notes that no results have been shown for an alloy containing aluminum, zinc, silicon, magnesium and tin just outside of the claimed ranges, with a showing of unexpected results within the ranges. Rather the comparative data of Table 1 is to alloys missing some ingredients altogether, and as to Table 2 only a single point of ingredients is shown, not the ranges as claimed, and therefore unexpected results are not shown for the temperature range. As to the argument that Rallis is directed to a different problem, this does not prevent its teaching from overlapping with what is actually claimed by applicant. As to the argument that Gieriek does not disclose alloys containing multiple materials, the Examiner notes that Rallis and '213 provide the suggestion and conventionality of this when using aluminum alloys. As to the argument that Gieriek is directed to a different problem, this, as with Rallis, does not prevent its teaching from overlapping with what is actually claimed by applicant, with, again applicant not showing unexpected benefits for what is actually claimed as discussed above. As to the arguments that '213 does not address the problem of plasticity and has wider ranges, this, as with Rallis, does not prevent its

teaching from overlapping with what is actually claimed by applicant, with, again applicant not showing unexpected benefits for what is actually claimed as discussed above. As to the argument that '213 requires the use of copper, the Examiner disagrees, as discussed in the rejection above, the Examiner notes that while the abstract refers to 0.5% copper in the alloy, this is a typographical error, and that '213 teaches 0-5% copper (which therefore means that no copper can be used), as shown on page 61, 1st column where " . . . Si 2-18%, Zn 2-8%, Cu 0-5%, Mg 0-2 % , Sn 0.1-15%. . . " is described, and ^{note} also in the example in the abstract where 0.02 % copper is used which is below 0.5 % copper. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971). Here, only the prior art is used, and applicant has not shown the unexpected benefits that they are discussing.

As to claim 2: the Examiner notes that as discussed in the rejection above, Gieriek and Rallis do not require copper and that '213 also does not actually require the use of copper. The mandrel test is discussed in the rejection above and the paragraph above.

As to claim 3: The mandrel test is discussed in the rejection above and the 1st paragraph^{of this section} above, as to the plastic aluminum alloy coating. As to the Gierrek disclosing a minimum melt time of in excess of 5 minutes, applicant apparently means Rallis as to this, with Gierrek disclosing melt plunging times in the claimed range. Furthermore, the Examiner notes the new matter rejection as to the claimed plunging time.

As to claim 4: as to the preheating, the Examiner notes the discussion in the rejection above as to what is actually taught and suggested by the prior art as to preheating. The mandrel test is discussed in the rejection above and the 1st paragraph^{of this section} above, as to the plastic aluminum alloy coating.

As to claim 5: The mandrel test is discussed in the rejection above and the 1st paragraph^{of this section} above, as to the plastic aluminum alloy coating.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Katherine A. Bareford whose telephone number is (571) 272-1413. The examiner can normally be reached on M-F(6:00-3:30) with the First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on (571) 272-1423. The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300 for regular communications and for After Final communications.

Other inquiries can be directed to the Tech Center 1700 telephone number at (571) 272-1700.

Art Unit: 1792

Furthermore, information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


KATHERINE BAREFORD
PRIMARY EXAMINER